UNIVERSITY OF CALICUT

(Purchase Division)

No.3477/PURCHASE-ASST-B1/2017/Admn

Calicut University(P.O)

Dated:20.03.2017

QUOTATION NOTICE

Sealed competitive quotations are invited for the purchase of the following Equipment to Department of Journalism and Mass Communication

1.	Blue Ray Player	1 No
2.	PA Speaker Systems	2 Set
3.	Video Monopod	1No.
4.	Studio Talkback-Counter Communication System	1 Set
5.	Orchestral Music/Book Stand	1 No.
6.	Light Stand with Sun gun Adapter &White umbrellas	3 Nos

The quotations should reach the Deputy Registrar (Purchase Division), University of Calicut, P.O. Calicut University -673 635 on or before 10.04.2017 5 P.M. The rate should be inclusive of all charges including taxes levies installation and transporting charges.

Detailed Specifications

Item No. 1: Blue Ray Player

Playback Capability -

- BLU-RAY 3D, BLU-RAY DISC, DVD WITH 1080P UPSCALING
- AVC-HD (BLU-RAY™, DVD, CD, USB, DLNA). CD / SUPER AUDIO CD
- USB PLAYBACK (FAT32 / NTFS), EXTERNAL HDD (READ)
- PHOTO JPEG/GIF/PNG, VIDEO XVID / WMV9 / MPEG-1 / MPEG-2 / MPEG-4 / AVCHD
- MUSIC MP3 / AAC / WMA9 STANDARD / LPCM

Video Features -

- 2D→3D CONVERSION, SUPER SCALER (PRECISION CINEMAHD UPSCALE)
- TRILUMINOS COLOUR, DEEP COLOUR (16 bit), 24P TRUE CINEMA, NTSC/PAL (60 HZ/50 HZ),
- DVD 24P OUTPUT

Audio Features -

- HDMI DTS HD MASTER AUDIO™ / DOLBY® TRUEHD / LPCM 2CH / LPCM 6CH OUT / LPCM 8CH OUT
- HDMI DSD OUTPUT / DSD TO LPCM CONVERSION
- COAXIAL, OPTICAL DTS® / DOLBY® DIGITAL / LPCM 2CH / DTS NEO:6
- ANALOGUE AV SYNC

Functions -

- SCREEN SAVER / EASY SET-UP / PHOTOTV HD
- USB KEYBOARD / AUTO STANDBY
- USB WI-FI® READY

LIVE STREAMING

Terminals

- HDMI OUTPUT, COAXIAL AUDIO OUTPUT, ETHERNET, FRONT / REAR USB
- Instruction Manual
- Remote Control (RMT-B119P)
- Batteries (Type AA x 2)
- · Warranty 3 years

Item No. 2 PA Speaker Systems with speaker stands

1 Pair of Speaker Systems with Input Power 100W RMS, Configuration Two Way

Specification:

- Compact superior quality speaker system, 12" Full Range Dual Cone speaker, Horn
 Tweeter. 100W
 continuous power with undistorted response, Rugged Closed box
 Enclosure,
 Carpet
 covered.
- Input Power 100W RMS
- Configuration Two Way
- Frequency Response 5520,000Hz
- Low Frequency Speaker 1 x 12â€, Dia 1.5†Voice Coil
- High Frequency Unit 1 x Piezo Horn Tweeter 2†Ã—5â€
- SPL at (1W/1m) 97 dB
- Max. Rated SPL 117 dB
- Nominal Impedance 8
- Port Sealed Enclosure

Speaker Stand-Pair

 Speaker stand for loads up to 50 kg. Ideal for speakers and monitors, height-adjustable, locking screw. Foldable, easy transport.

Item No.3: Video Monopod

Material Aluminium

Leg Type Single

Leg Lock Type Flip Lock

Closed Length 65.5 cm

Max Height 166 cm

Min Height 65.5 cm

Head Type Video/Fluid Head

Colour Black

front tilt -90° / +90°

- Load capacity on Ground 5 kg/11 lb
- Load capacity on Tripod 2.5 kg/ 5.5 lb
- Camera Travel on Ground 17"

- Camera Travel on Tripod 32"
- Camera Mount 1/4"- 20 (1/4" to 3/8" Adapter included)
- Tripod Mount 1/4"- 20, 3/8"- 16,
- · Slider Material High grade Aluminum, Precision CNC Manufacturing
- · Belt Material Made of cloth with high wear-resistance

CAMERA MOUNTING SCREW

 Standard camera mounting screws for wider variety of professional camcorders, SLR cameras, DSLR and DVs.

Item No. 4: Studio Talkback- Counter Communication System

- Complete standalone working (works in AC)
- The 2 path talkback output
- Monitor speaker
- · Highest grade goose neck microphone
- · Output 2W (Max.) in each amplifier
- Microphone Element Electret Condenser in both the units
- · Auto Mute 'ON' Enables after 30 seconds (approx.)
- Power Requirement AC: 220240V, 50/60Hz

Item No. 5: ORCHESTRAL MUSIC/BOOK STAND

Specification:

- · High-grade heavy duty sheet music & book stand
- Basic orchestral music stand w/ metal music rest (+punched hole
- Dimensions: 47.5 x 34.5 cm / 18.7 x 13.6 in.
- · Tubular stand with folding legs, steel construction
- · ABS leg housing
- · ABS connector clamps
- Height range: 70 to 110 cm / 27.6 to 43.3 inches

Item No. 6: Light Stand with Sun gun Adapter & white umbrellas

- Umbrella Flash Light Stand
- Photo Video Studio Lighting Stand, aluminum alloy,
- Umbrella, Light Stand (folded height 3.2 fr & max. height 9 feet approx.), Sungun Adapter

DEPUTY REGISTRAR (PURCHASE)

For Registrar

To the System Analyst for the publication of the same in the website.