

**UNIVERSITY OF CALICUT**  
**(Purchase Division)**

No.3477/PURCHASE-ASST-B1/2017/Admn

Calicut University(P.O)

Dated:16.05.2017

**QUOTATION NOTICE**

Sealed competitive quotations are invited for the purchase of the following Equipment to Department of Journalism and Mass Communication

- |  |       |
|--|-------|
| 1. Blue Ray Player                                       | 1 No  |
| 2. PA Speaker Systems                                    | 2 Set |
| 3. Video Monopod   | 1 No. |
| 4. Studio Talkback-Counter Communication System          | 1 Set |
| 5. Orchestral Music/Book Stand                           | 1 No. |
| 6. Light Stand with Sun gun Adapter & White umbrellas. - | 3 Nos |

The quotations should reach the Deputy Registrar (Purchase Division), University of Calicut, P.O. Calicut University -673 635 on or before **05.06.2017, 04.00 P.M.** The rate should be inclusive of all charges including taxes levies installation and transporting charges.

***Detailed Specifications***

**Item No. 1: Blue Ray Player**

**Playback Capability -**

- BLU-RAY 3D, BLU-RAY DISC, DVD WITH 1080F UPSCALING
- AVC-HD (BLU-RAY™, DVD, CD, USB, DLNA), CD / SUPER AUDIO CD
- USB PLAYBACK (FAT32 / NTFS), EXTERNAL HDD (READ)
- PHOTO - JPEG/GIF/PNG, VIDEO - XVID / WMV9 / MPEG-1 / MPEG-2 / MPEG-4 / AVCHD
- MUSIC - MP3 / AAC / WMA9 STANDARD / LPCM

**Video Features -**

- 2D→3D CONVERSION, SUPER SCALER (PRECISION CINEMAHD UPSCALE)
- TRILUMINOS COLOUR, DEEP COLOUR (16 bit), 24P TRUE CINEMA, NTSC/PAL (60 HZ/50 HZ),
- DVD 24P OUTPUT

**Audio Features -**

- HDMI - DTS HD MASTER AUDIO™ / DOLBY® TRUEHD / LPCM 2CH / LPCM 6CH OUT / LPCM 8CH OUT
- HDMI - DSD OUTPUT / DSD TO LPCM CONVERSION
- COAXIAL, OPTICAL - DTS® / DOLBY® DIGITAL / LPCM 2CH / DTS NEO:6
- ANALOGUE - AV SYNC

**Functions -**

- SCREEN SAVER / EASY SET-UP / PHOTOTV HD
- USB KEYBOARD / AUTO STANDBY
- USB WI-FI® READY

- LIVE STREAMING

#### **Terminals**

- HDMI OUTPUT, COAXIAL AUDIO OUTPUT, ETHERNET, FRONT / REAR USB

- Instruction Manual
- Remote Control (RMT-B119P)
- Batteries (Type AA x 2)
- Warranty 3 years

### **Item No. 2 PA Speaker Systems with speaker stands**

1 Pair of Speaker Systems with Input Power 100W RMS, Configuration Two Way

#### **Specification:**

- Compact superior quality speaker system, 12" Full Range Dual Cone speaker, Horn Tweeter. 100W continuous power with undistorted response, Rugged Closed box Enclosure, Carpet covered.
- *Input Power 100W RMS*
- *Configuration Two Way*
- *Frequency Response 5520,000Hz*
- *Low Frequency Speaker 1 x 12" , Dia 1.5" Voice Coil*
- *High Frequency Unit 1 x Piezo Horn Tweeter 2" —5"*
- *SPL at (1W/1m) 97 dB*
- *Max. Rated SPL 117 dB*
- *Nominal Impedance 8*
- *Port Sealed Enclosure*

#### **Speaker Stand- Pair**

- Speaker stand for loads up to 50 kg. Ideal for speakers and monitors, height-adjustable, locking screw. Foldable, easy transport.

### **Item No.3: Video Monopod**

- *Material Aluminium*
- *Leg Type Single*
- *Leg Lock Type Flip Lock*
- *Closed Length 65.5 cm*
- *Max Height 166 cm*
- *Min Height 65.5 cm*
- *Head Type Video/Fluid Head*
- *Colour Black*
- *front tilt -90° / +90°*
- *Load capacity on Ground - 5 kg/11 lb*
- *Load capacity on Tripod - 2.5 kg/ 5.5 lb*
- *Camera Travel on Ground - 17"*

- Camera Travel on Tripod - 32"
- Camera Mount - 1/4"- 20 (1/4" to 3/8" Adapter included)
- Tripod Mount - 1/4"- 20, 3/8"- 16,
- Slider Material - High grade Aluminum, Precision CNC Manufacturing
- Belt Material - Made of cloth with high wear-resistance

#### **CAMERA MOUNTING SCREW**

- Standard camera mounting screws for wider variety of professional camcorders, SLR cameras, DSLR and DVs.

#### **Item No. 4: Studio Talkback- Counter Communication System**

- Complete standalone working (works in AC)
- The 2 path talkback output
- Monitor speaker
- Highest grade goose neck microphone
- Output 2W (Max.) in each amplifier
- Microphone Element Electret Condenser in both the units
- Auto Mute 'ON' Enables after 30 seconds (approx.)
- Power Requirement AC: 220/240V, 50/60Hz

#### **Item No. 5: ORCHESTRAL MUSIC/BOOK STAND**

##### **Specification:**

- High-grade heavy duty sheet music & book stand
- Basic orchestral music stand w/ metal music rest (+punched hole)
- Dimensions: 47.5 x 34.5 cm / 18.7 x 13.6 in.
- Tubular stand with folding legs, steel construction
- ABS leg housing
- ABS connector clamps
- Height range: 70 to 110 cm / 27.6 to 43.3 inches

#### **Item No. 6 : Light Stand with Sun gun Adapter & white umbrellas**

- Umbrella Flash Light Stand
- Photo Video Studio Lighting Stand, aluminum alloy,
- Umbrella, Light Stand (folded height 3.2 fr & max. height 9 feet approx.), Sungun Adapter



DEPUTY REGISTRAR (PURCHASE)

For Registrar

To the System Analyst for the publication of the same in the website.